Q: Deflection can be controlled by using the appropriate:	
A : Aspect ratio C : Span/depth ratio	B : Modular ratio D : Water/cement ratio
Q: Minimum thickness of load bearing RCC wall should be:	
A : 5 cm C : 15 cm	B: 10 cm D: 20 cm
Q : For wall column and vertical faces of all the structural members, the form work is generally removed after	
A : After 24 to 48 hours, C : After 7 days	B : After 3 days D : After 14 days
Q : According to Whitney's theory, the maximum depth of concrete stress block in a balanced RCC beam section of depth 'd' is	
A: 0.3 d C: 0.5 d	B: 0.43 d D: 0.53 d
Q: The section of reinforced beam where most distant concrete fiber in compression and tension in steel attains permissible stresses simultaneously, called	
A: Balanced section C: Critical section	B : Economic section D : All option are correct
Q : Minimum thickness of main steel weather is:	members, not exposed to
A: 4.5 mm C: 8.0 mm	B : 6.0 mm D : 8.5 mm
Q : According to IS : 800-1984, the permissible stress in axial tension in steel is:(f_y =minimum yield stress of steel)	

 $A: 0.56 f_y$ $B: 0.66 f_y$

 $C: 0.70 f_y$ $D: 0.6f_y$

Q: Fillet weld is not recommended if the angle between fusion faces is-

- A. Less than 45°
- B. Greater than 120°
- C. Less than 60°
- D. Greater than 145°

The correct statement are:

A: A&B B: A&D C: C&D D: C&B

Q: Tacking rivets in a compression plates exposed to weather have a pitch not exceeding 200 mm or

A: 8 times the thickness of outside plate

B: 16 times the thickness of out side plate

C: 24 times the thickness of out side plate

D: 32 times the thickness of outside plate

Q: A column splice is used to increase:

A: Length of column

B: Strength of column

C: Cross-sectional area of column

D: None of the above

Q: The plan of a building is in the from of square with centerline dimensions of outer walls as 14.7 m \times 14.7 m. if the thickness of the wall in super structure is 0.30 m, then its plinth area is:

A: 234 m²

B: 150 m²

C: 216 m²

D: 225 m²

Q: The value of property during its useful life based on purchase value and depreciation etc.is Known as:

A: Junk value

B: Scrap value

C : Salvage value

D: Book value

Q: Thickness of plastering is usually:

A: 40 mm

B:6 mm

C: 12 mm

D: 25 mm

Q: Using straight line method annual depreciation D is equal to:

 $\begin{array}{l} \textbf{A:} & \frac{\textit{Life in Year} - \textit{Scrap value}}{\textit{Original cost}} \\ \textbf{B:} & \frac{\textit{Scrap value} - \textit{Life in Year}}{\textit{Original cost}} \\ \textbf{C:} & \frac{\textit{Original cost} - \textit{life in year}}{\textit{Scrap value}} \\ \textbf{D:} & \frac{\textit{Original cost} - \textit{Scrap value}}{\textit{life in year}} \end{array}$

Q : The plan of a building is in the from of a rectangle with centre line dimensions of the outer walls as 10.3 m \times 15.3 m. The thickness of the walls in superstructure is 0.3 m. Then its carpet area is :

A: 150 m²

B: 157.59 m²

C: 165.36 m²

D: 170²

Q: Pascal's law states that pressure at any point in a fluid at rest has:

- A: Different magnitude in all directions.
- **B**: Same magnitude in all directions.
- C: Zero magnitude in all direction.
- D: None of the above

Q: A rectangular plate 1.25 m \times 2.4 m is immersed in a liquid of relative density 0.85 with its 1.25 m side horizontal and just at the water surface. If the plane of the plate makes an angle of 60° with the horizontal, the pressure force on one side of the plate is:

- A: 30.6 kN
- B: 26.0 kN
- C: 15.0 kN
- D: 30.0 kN

Q: Measurement of pressure difference between two points is, generally done by using:

- A: Venturimeter.
- B: Pitot tube.
- C: Differential manometer.
- D: None of the above.

Q: The relationship between atmospheric pressure (P_{atm}), gauge pressure (P_{gauge}) and absolute pressure (P_{abs}) is given by:

- A: P_{atm}=P_{abs}-P_{gauge}
- $B: P_{abs} = P_{gauge} P_{atm}$
- C: P_{abs}=P_{atm}-P_{gauge}
- D: P_{atm}=P_{abs}+P_{gauge}

Q: Pressure in terms of meters of oil (specific gravity = 0.9) equivalent to 4.5 m of water is:

- A: 4.05
- B:5

C:3.6

D:0.298WW.everexam.org
Moh.: 7827455078



YouTube CHANNEL EVERREXAM