
### 01. Lime stabilisation is very effective in treating

- a. Sandy soils
- b. Silty soils
- c. Non-plastic soils
- d. Plastic clayey soils

### 02. Undisturbed sample are obtained by

- a. Direct excavations
- b. Thin-walled samplers
- c. Thick-walled samplers
- d. augers
- 03. Select the correct statement.
- a. Stationary piston sampler and rotary sampler are both thickwalled samplers.
- Stationary piston sampler and rotary sampler are both thinwalled samplers.
- Stationary piston sampler is a thick-walled sampler and rotary sampler is a thin-walled sampler
- d. Stationary piston sampler is a thinwalled sampler and rotary sampler is a thick-walled sampler.
- 24. The curve A, B and C shown in Fig. 8.0 are respectively the stress-strain curves for stress



- a. Dense sand, clay and loose sandy
- b. Dense sand, loose sand and clay
- c. Loose sand, dense sand and clay
- d. Clay, loose sand and dense sand

#### 05. Greater skin friction

- a. Retards the sinking of well
- b. Accelerates the sinking of well
- c. Does not affect the sinking of well
- d. None of the above
- 06. The bearing capacity of a strip footing on a saturated clay is  $120 \text{ kN/m}^2$ . The bearing capacity of a circular footing (diameter = width) will be
- a. More than 120 kN/m<sup>2</sup>
- b. Equal to 120 kN/m<sup>2</sup>
- c. Less than 120 kN/m<sup>2</sup>
- d. Any of the above

#### 07. A plate load test is useful to estimate

- a. Bearing capacity of foundation
- b. Settlement of foundation
- c. Both bearing capacity and settlement of foundation
- d. None of the above

## 08. The radius of friction circle or φ-circle in friction circle method is

- a. R
- b. R sin φ
- c. R cos o
- d. R tan  $\phi$

### 09. The largest value of stability number is

- a. 0.261
- b. 0.5
- c. 1.0
- d. 2.0

### 10. A shallow foundation is defined as a foundation which

- a. Has low bearing capacity
- b. Has a depth of embedment less than its width
- c. Is resting on the ground surface
- d. Causes less settlement
- 11. For an anisotropic soil, permeabilities in x and y directions are  $K_x$  and  $K_y$  respectively in a two dimensional flow the effective permeability  $k_{eq}$  for the soil is given by:
- a. K<sub>x</sub> + k
- b. K, /K,
- c.  $(K_x^2 + K_y^2)^{1/2}$
- d. (K<sub>x</sub> k<sub>y</sub>)<sup>1/2</sup>
- 12. For sand of uniform spherical particles, the ratio of void in the loosest and the densest states is:
- a. 2.6
- b. 3.5
- c. 4.6
- d. 3.0

#### 13. The description of 'sandy silty clay' signifies that

- a. The soil contains unequal proportions of the three constituents in the order sand > silt > clay
- b. The soil contains equal proportions of sand, silt and clay
- The soil contains equal proportions of sand, silt and clay
- d. The soil contains unequal proportions of the three constituents such that clay > silt > sand.
- 14. Increasing the depth of foundation in saturated clays results in an increased ultimate bearing capacity for strip footings
- a. Because the bearing capacity factor N<sub>y</sub>
  decreases
- Because the bearing capacity factor N<sub>c</sub> increases the depth increases.
- c. The term in the bearing capacity equation  $qN_{\rm q}$  increases with depth.
- d. Because the angle of internal friction decreases as the depth of foundation increases.

## 15. soil having particles of nearly the same size is known as:

- a. Well graded
- b. Uniformly graded
- c. Poorly graded
- d. Gap graded

## 16. The unit weight of a soil at zero air voids depends on:

- a. Specific gravity
- b. Water content
- c. Unit weight of water
- d. All the above

#### 17. The soil most susceptible to liquefaction are

- a. Saturated dense sand
- b. Saturated fine and medium sand of uniform particle size
- c. Saturated clalys of uniform size
- d. Saturated gravels and cobbles

- 18. The value of bearing capacity factor for cohesion N<sub>c</sub> for piles as per Meyerhof is taken as
- a. 6.2
- b. 9.0
- c. 5.14
- d. 5.17
- 19. The slope of the e-log p curve for a soil mass gives
- a. Coefficient of permeability , K
- b. Coefficient of consolidation, C<sub>v</sub>
- c. Compression index, C<sub>c</sub>
- d. Coefficient of volume compressibility, m<sub>v</sub>
- 20. If r = frequency ratio, D = damping ratio then magnification factor in a damped forced vibration is equal to:

**a.** 
$$1/\sqrt{(1-r^2)^2+4r^2D^2}$$

**b.** 
$$1/\sqrt{(1-r^2)^2+4Dr}$$

c. 
$$1/\sqrt{(1-r^2)^2-4r^2D^2}$$

d. 
$$1/\sqrt{(1+r^2)^2-4r^2D^2}$$



# www.everexam.org